



中国合格评定国家认可委员会

常规产品认证机构

认可业务范围

注册号: CNAS C109-P
认证机构名称: 中国国检测试控股集团股份有限公司
初次认可时间: 2004年03月09日

| 序号 | 产品名称 | 标准 | 认证方案/认证模式 |
|----|------|-------------------------|----------------|
| 1. | 安全玻璃 | 汽车用安全玻璃 | GB 9656 |
| | | 建筑用安全玻璃 第2部分 钢化玻璃 | GB 15763.2 |
| | | 建筑用安全玻璃 第3部分 夹层玻璃 | GB 15763.3 |
| | | 中空玻璃 | GB/T 11944 |
| | | 铁道车辆用安全玻璃 | GB 18045 |
| | | 机车船舶用电加温玻璃 第2部分 机车电加温玻璃 | GB 14681.2 |
| 2. | 瓷质砖 | 陶瓷砖 | GB/T 4100 |
| | | 建筑材料放射性核素限量 | GB 6566 |
| 3. | 建筑玻璃 | 平板玻璃 | GB 11614 |
| | | 镀膜玻璃 | GB/T 18915.1~2 |
| | | 贴膜玻璃 | JC 846 |
| | | 防弹玻璃 | GB 17840 |
| | | 半钢化玻璃 | GB 17841 |
| | | 建筑用安全玻璃 第1部分 防火玻璃 | GB 15763.1 |
| 4. | 水泥 | 通用硅酸盐水泥 | GB 175 |
| | | 白色硅酸盐水泥 | GB/T 2015 |
| | | 油井水泥 | GB/T 10238 |
| | | 铝酸盐水泥 | GB/T 201 |
| | | 抗硫酸盐硅酸盐水泥 | GB/T 748 |
| | | 硫铝酸盐水泥 | GB/T 20472 |
| | | 明矾石膨胀水泥 | JC/T 311 |
| | | 石灰石硅酸盐水泥 | JC/T 600 |
| | | | |

| | | | | |
|--------------|------------|--------------------|------------|---------------------|
| 5. | 混凝土外加剂 | 白应力铁铝酸盐水泥 | JC/T 437 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 混凝土外加剂 | GB 8076 | |
| | | 喷射混凝土用速凝剂 | JC/T 477 | |
| 6. | 建筑用刚性防水材料 | 混凝土防冻剂 | JC/T 475 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 高强高性能混凝土用矿物外加剂 | GB/T 18736 | |
| | | 无机防水堵漏材料 | GB 23440 | |
| | | 水泥基渗透结晶型防水材料 | GB 18445 | |
| | | 砂浆、混凝土防水剂 | JC/T 474 | |
| 7. | 干(预)拌砂浆 | 聚合物水泥防水砂浆 | JC/T 984 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 混凝土裂缝用环氧树脂灌浆材料 | JC/T 1041 | |
| | | 混凝土地面用水泥基耐磨材料 | JC/T 906 | |
| | | 陶瓷墙地砖胶粘剂 | JC/T 547 | |
| | | 地面用水泥基自流平砂浆 | JC/T 985 | |
| 8. | 水泥助磨剂 | 混凝土小型空心砌块和混凝土砖砌筑砂浆 | JC/T 860 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 水泥助磨剂 | GB/T 26748 | |
| 9. | 建筑防水涂料 | 聚合物乳液建筑防水涂料 | JC/T 864 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 聚氨酯防水涂料 | GB/T 19250 | |
| | | 聚合物水泥防水涂料 | GB/T 23445 | |
| | | 水乳性沥青防水涂料 | JC/T 408 | |
| 10. | 建筑密封胶 | 建筑防水涂料中有害物质限量 | JC 1066 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 建筑用硅酮结构密封胶 | GB 16776 | |
| | | 硅酮建筑密封胶 | GB/T 14683 | |
| | | 聚氨酯建筑密封胶 | JC/T 482 | |
| | | 聚硫建筑密封胶 | JC/T 483 | |
| | | 丙烯酸酯建筑密封胶 | JC/T 484 | |
| | | 建筑窗用弹性密封胶 | JC/T 485 | |
| | | 道桥嵌缝用密封胶 | JC/T 976 | |
| | | 混凝土建筑接缝用密封胶 | JC/T 881 | |
| | | 幕墙玻璃接缝用密封胶 | JC/T 882 | |
| | | 石材用建筑密封胶 | GB/T 23261 | |
| | | 金属板用建筑密封胶 | JC/T 884 | |
| | | 建筑用防霉密封胶 | JC/T 885 | |
| | | 11. | 中空玻璃用密封胶 | |
| 中空玻璃用弹性密封胶 | GB/T 29755 | | | |
| 中空玻璃用硅酮结构密封胶 | GB 24266 | | | |
| 12. | 建筑涂料 | 合成树脂乳液内墙涂料 | GB/T 9756 | 产品抽样检测+初始工厂检查+获证后监督 |
| | | 合成树脂乳液外墙涂料 | GB/T 9755 | |
| | | 外墙无机建筑涂料 | JG/T 26 | |
| | | 溶剂型外墙涂料 | GB/T 9757 | |
| | | 复层建筑涂料 | GB/T 9779 | |
| | | 合成树脂乳液砂壁状建筑涂料 | JG/T 24 | |
| | | 弹性建筑涂料 | JG/T 172 | |

| | | | | | | | |
|--------------------|--------------|---------------------|----------------|---------------------|---------------|---------------------|---------------------|
| 13. | 石材幕墙用胶粘剂 | 交联型氟树脂涂料 | HG/T 3792 | 产品抽样检测+初始工厂检查+获证后监督 | | | |
| | | 非结构承载用石材胶粘剂 | JC/T 989 | | | | |
| | | 环境标志产品认证技术要求 胶粘剂 | HJ/T 220 | | | | |
| 14. | 陶瓷片密封水嘴 | 干挂石材幕墙用环氧胶粘剂 | JC 887 | 产品抽样检测+初始工厂检查+获证后监督 | | | |
| | | 陶瓷片密封水嘴 | GB 18145 | | | | |
| | | 水嘴通用技术条件 | QB/T 1334 | | | | |
| | | 节水型生活用水器具 | CJ/T 164 | | | | |
| 15. | 建筑板材 | 非接触式给水器具 | CJ/T 194 | 产品抽样检测+初始工厂检查+获证后监督 | | | |
| | | 建筑隔墙用轻质条板通用技术要求 | JG/T 169 | | | | |
| | | 混凝土轻质条板 | JG/T 350 | | | | |
| | | 纤维增强硅酸钙板 | JC/T 564.1~2 | | | | |
| | | 矿物棉装饰吸声板 | GB/T 25998 | | | | |
| | | 玻璃纤维增强水泥轻质多孔隔墙条板 | GB/T 19631 | | | | |
| | | 玻璃纤维增强水泥（GRC）装饰制品 | JC/T 940 | | | | |
| | | 吸声用穿孔石膏板 | JC/T 803 | | | | |
| | | 嵌装式装饰石膏板 | JC/T 800 | | | | |
| | | 装饰石膏板 | JC/T 799 | | | | |
| | | 石膏空心条板 | JC/T 829 | | | | |
| | | 纸面石膏板 | GB/T 9775 | | | | |
| | | 玻镁平板 | JC 688 | | | | |
| | | 硅镁加气混凝土空心轻质隔墙板 | JC/T 680 | | | | |
| | | 16. | 建筑保温绝热材料 | | 绝热用模塑聚苯乙烯泡沫塑料 | GB/T 10801.1 | 产品抽样检测+初始工厂检查+获证后监督 |
| 绝热用挤塑聚苯乙烯泡沫塑料（XPS） | GB/T 10801.2 | | | | | | |
| 柔性泡沫橡塑绝热制品 | GB/T 17794 | | | | | | |
| 建筑物绝热用硬质聚氨酯泡沫塑料 | GB/T 21558 | | | | | | |
| 膨胀珍珠岩 | JC/T 209 | | | | | | |
| 膨胀珍珠岩绝热制品 | GB/T 10303 | | | | | | |
| 绝热用岩棉、矿渣棉及其制品 | GB/T 11835 | | | | | | |
| 绝热用玻璃棉及其制品 | GB/T 13350 | | | | | | |
| 17. | 建筑防水卷材、止水条 | | | 弹性体改性沥青防水卷材 | GB 18242 | 产品抽样检测+初始工厂检查+获证后监督 | |
| | | | | 塑性体改性沥青防水卷材 | GB 18243 | | |
| | | 高分子防水材料 第一部分 片材 | GB 18173.1 | | | | |
| | | 高分子防水材料 第二部分 止水带 | GB 18173.2 | | | | |
| | | 高分子防水材料 第三部分 遇水膨胀橡胶 | GB 18173.3 | | | | |
| | | 聚氯乙烯防水卷材 | GB 12952 | | | | |
| | | 膨润土橡胶遇水膨胀止水条 | JG/T 141 | | | | |
| | | 自粘聚合物改性沥青防水卷材 | GB 23441 | | | | |
| | | 热塑性聚烯烃（TPO）防水卷材 | GB 27789 | | | | |
| | | 预铺防水卷材 | GB/T 23457 | | | | |
| 18. | 建筑门窗幕墙 | 湿铺防水卷材 | GB/T 35467 | 产品抽样检测+初始工厂检查+获证后监督 | | | |
| | | 玻璃幕墙工程技术规范 | JGJ 102 | | | | |
| 19. | 木地板 | 木质门 | WB/T 1024 | 产品抽样检测+初始工厂检查+获证后监督 | | | |
| | | 实木地板 | GB/T 15036.1~2 | | | | |

本附件未设有效期，应与标有相同注册号的认可证书共同使用。其有效性可登陆 www.cnas.org.cn “获认可的机构名录” 查询。 变更号：2023-02 第 3 页/共 5 页

| | | | | |
|-----|--------------------|-----------------------------------|-----------------|---|
| | | 浸渍纸层压木质地板 | GB/T 18102 | |
| | | 实木复合地板 | GB/T 18103 | |
| | | 室内装饰装修材料 人造板及其制品中 甲醛释放限量 | GB 18580 | |
| 20. | 外墙外保温用聚合物砂浆 | 墙体保温用膨胀聚苯乙烯板胶粘剂 | JC/T 992 | 产品抽样检测+初始工厂 检查+获证后监督 |
| | | 陶瓷砖胶粘剂 | JC/T 547 | |
| | | 陶瓷砖填缝剂 | JC/T 1004 | |
| | | 建筑保温砂浆 | GB/T 20473 | |
| | | 外墙外保温用膨胀聚苯乙烯板抹面胶 浆 | JC/T 993 | |
| 21. | 砖瓦 | 混凝土瓦 | JC/T 746 | 产品抽样检测+初始工厂 检查+获证后监督 |
| | | 混凝土路面砖 | GB/T 28635 | |
| | | 烧结多孔砖和多孔砌砖 | GB 13544 | |
| | | 烧结空心砖和空心砌块 | GB 13545 | |
| | | 烧结瓦 | GB/T 21149 | |
| 22. | 建筑装饰用金属及金属复合 材料 | 金属吊顶 | QB/T 1561 | 产品抽样检测+初始工厂 检查+获证后监督 |
| | | 铝合金建筑型材 第1部分 基材 | GB/T 5237.1 | |
| | | 铝合金建筑型材 第2部分 阳极氧化型 材 | GB/T 5237.2 | |
| | | 铝合金建筑型材 第3部分 电泳涂漆型 材 | GB/T 5237.3 | |
| | | 铝合金建筑型材 第4部分 喷粉型材 | GB/T 5237.4 | |
| | | 铝合金建筑型材 第5部分 氟碳漆喷涂 型材 | GB/T 5237.5 | |
| | | 建筑幕墙用铝塑复合板 | GB/T 17748 | |
| | | 普通装饰用铝塑复合板 | GB/T 22412 | |
| | | 彩色涂层钢板及钢带 | GB/T 12754 | |
| | | 铝幕墙板 | YS/T 429.1~2 | |
| 23. | 建材产品 | 建筑材料放射性核素限量 | GB 6566 | 产品抽样检测+初始工厂 检查+获证后监督 |
| 24. | 室内装饰装修材料 | 建筑用墙面涂料中有害物质限量 | GB 18582 | 产品抽样检测+初始工厂 检查+获证后监督 |
| | | 室内装饰装修材料 胶粘剂中有害物质 限量 | GB 18583 | |
| | | 室内装饰装修材料 木家具中有害物质 限量 | GB 18584 | |
| | | 室内装饰装修材料 壁纸中有害物质限 量 | GB 18585 | |
| | | 室内装饰装修材料 聚氯乙烯卷材地板 中有害物质限量 | GB 18586 | |
| | | 室内装饰装修材料 地毯、地毯衬垫及 地毯胶粘剂有害物质释放量 | GB 18587 | |
| | | 混凝土外加剂中释放氨的限量 | GB 18588 | |
| | | 民用建筑工程室内环境污染控制规范 | GB 50325 | |
| 25. | 天然石材 | 建筑材料放射性核素限量 | GB 6566 | 产品抽样检测+初始工厂 检查+获证后监督 |
| 26. | 建筑板材 | 环境标志产品技术要求 轻质墙体板材 | HJ/T 223 | 产品抽样检测+初始工厂 检查+获证后监督 |
| 27. | 安全玻璃 | 汽车安全玻璃 | GB 9656 | CNCA-C13-01: 2014 《安全 玻璃强制性产品认证实施 规则》 |
| | | 建筑用安全玻璃 第2部分 钢化玻璃 | GB 15763.2 | |
| | | 建筑用安全玻璃 第3部分 夹层玻璃 | GB 15763.3 | |
| | | 中空玻璃 | GB/T 11944 | |

本附件未设有效期，应与标有相同注册号的认可证书共同使用。其有效性可登陆 www.cnas.org.cn “获认可的机构名录” 查询。
变更号：2023-02 第4页/共5页

| | | | | |
|-----|----------|-------------------------|------------|---|
| | | 铁道车辆用安全玻璃 | GB 18045 | |
| | | 机车船舶用电加温玻璃 第2部分 机车电加温玻璃 | GB 14681.2 | |
| 28. | 瓷质砖 | 陶瓷砖 | GB/T 4100 | CNCA-C21-01: 2014《装饰装修产品强制性产品认证实施规则》 |
| | | 建筑材料放射性核素限量 | GB 6566 | |
| 29. | 室内装饰装修材料 | 混凝土外加剂中释放氨的限量 | GB 18588 | 产品抽样检测+初始工厂审查+获证后监督 |
| 30. | 成品木家具产品 | 室内空气质量标准 | GB/T 18883 | 产品抽样检测+初始工厂审查+获证后监督 |
| 31. | 汽车用制动器衬片 | 汽车用制动器衬片 | GB 5763 | 型式试验+初始工厂检查+获证后监督 CNCA-C11-20: 2020《强制性产品认证实施规则汽车用制动器衬片》 |

* * * * *





China National Accreditation Service for Conformity Assessment

GENERAL PRODUCT CERTIFICATION BODY

ACCREDITED SCOPES

Registration No.: CNAS C109-P
Name: China Testing & Certification International Group Co., Ltd.
Date of Initial Accreditation: 2004-03-09

| No. | Accredited Items | Standards or Specifications | Certification model |
|-----|------------------|---|---|
| 1. | Safe glass | Safety glazing materials for road vehicles | Product sampling test + initial factory inspection + follow up inspection |
| | | Safety glazing materials in building--Part 2: Tempered glass | |
| | | Safety glazing materials in building--Part 3: Laminated glass | |
| | | Sealed insulating glass unit | |
| | | Safety glass for railway rolling stock | |
| | | Electrically heated glazing materials for locomotives and ships-Part 2: Electrically heated glazing materials for locomotives | |
| 2. | Ceramic tiles | Ceramic tiles | Product sampling test + initial factory inspection + follow up inspection |
| | | Limit of radionuclides in building materials | |
| 3. | Building glass | Sheet glass | Product sampling test + initial factory inspection + follow up inspection |
| | | Coated glass | |
| | | Film mounting glass | |
| | | Bullet resistant glazing | |
| | | Building glass | |
| | | Safety glazing materials in building | |
| | | Fire-resistant glass | |
| 4. | Cement | Common portland cement | Product sampling test + initial factory inspection + follow up inspection |
| | | White portland cement | |
| | | Oil well cement | |
| | | Aluminate cement | |
| | | Sulfate resistance portland cement | |
| | | Sulphoaluminate cement | |
| | | Aluminate expansive cement | |
| | | Limestone portland cement | |
| | | Self-stress ferri-aluminate cement | |
| | | | |

This schedule without expiry date should be used with the accreditation certificate bearing the same registration number. The validity of the schedule can be checked on CNAS website at www.cnas.org.cn.
Change number: 2023-02 Page 1 of 5

| | | | | |
|-----|---|--|------------|---|
| 5. | Concrete additive agents | Concrete admixtures | GB 8076 | Product sampling test + initial factory inspection + follow up inspection |
| | | Flash setting admixtures for shotcrete | JC/T 477 | |
| | | Concrete anti-freezing admixtures | JC/T 475 | |
| | | Mineral admixtures for high strength and high performance concrete | GB/T 18736 | |
| 6. | Rigid waterproofing materials for buildings | Inorganic waterproof and leakage-preventing materials | GB 23440 | Product sampling test + initial factory inspection + follow up inspection |
| | | Cementitious capillary crystalline waterproofing materials | GB 18445 | |
| | | Water-repellent admixture for mortar and concrete | JC/T 474 | |
| | | Polymer modified cement mortars for waterproof | JC/T 984 | |
| | | Waterproof grouting materials | JC/T 1041 | |
| 7. | Dry (pre) mixed mortar | Concrete floor hardener | JC/T 906 | Product sampling test + initial factory inspection + follow up inspection |
| | | Adhesives for ceramic wall and floor tiles | JC/T 547 | |
| | | Cementitious self-leveling floor mortar | JC/T 985 | |
| | | Masonry mortar for small hollow concrete block & concrete brick | JC/T 860 | |
| 8. | Cement grinding aids | Processing additions for use in the manufacture of hydraulic cement | GB/T 26748 | Product sampling test + initial factory inspection + follow up inspection |
| 9. | building waterproof coatings | Polymer emulsion architectural waterproof coating | JC/T 864 | |
| | | Polyurethane waterproofing coating | GB/T 19250 | Product sampling test + initial factory inspection + follow up inspection |
| | | Polymer modified cementitious waterproof coating | GB/T 23445 | |
| | | Emulsified asphalt waterproof coating | JC/T 408 | |
| | | Limit of harmful substances of building waterproof coatings | JC 1066 | |
| 10. | Sealants for building | Structural silicone sealants for building | GB 16776 | Product sampling test + initial factory inspection + follow up inspection |
| | | Silicone sealant for building | GB/T 14683 | |
| | | Polyurethane sealant for building | JC/T 482 | |
| | | Polysulfide sealant for building | JC/T 483 | |
| | | Acrylic sealant for building | JC/T 484 | |
| | | Glazing elastic sealants for building | JC/T 485 | |
| | | Jointing sealants for concrete bridge and other concrete trafficable by vehicles | JC/T 976 | |
| | | Sealants for Building Joint of concrete construction | JC/T 881 | |
| | | Sealants for joint Glass Curtain Wall | JC/T 882 | |
| | | Building sealants for stone | GB/T 23261 | |
| | | Building sealants for metal plates | JC/T 884 | |
| | | Anti-Mildew Sealants for Building | JC/T 885 | |
| 11. | Sealants for sealed insulating glass unit | Hot melt butyl sealant for insulating glass | JC/T 914 | Product sampling test + initial factory inspection + follow up inspection |
| | | Elastic sealants for sealed insulating glass unit | GB/T 29755 | |
| | | Secondary edge silicone sealants for structurally glazed insulating glass units | GB 24266 | |
| 12. | Building coating | Synthetic resin emulsion coatings for interior wall | GB/T 9756 | Product sampling test + initial factory inspection + follow up inspection |
| | | Synthetic resin emulsion coatings for exterior wall | GB/T 9755 | |

This schedule without expiry date should be used with the accreditation certificate bearing the same registration number. The validity of the schedule can be checked on CNAS website at www.cnas.org.cn. Change number: 2023-02 Page 2 of 5

| | | | | |
|-----|---|---|--------------|---|
| | | Inorganic building coating for external wall | JG/T 26 | |
| | | Solvent-thinned coatings for exterior wall | GB/T 9757 | |
| | | Multi wall architectural coatings | GB/T 9779 | |
| | | Sand textured building coating based on synthetic resin emulsion | JG/T 24 | |
| | | Elastomeric wall coatings | JG/T 172 | |
| | | Crosslinking fluorocarbon resin coatings | HG/T 3792 | |
| 13. | Adhesives for stone curtain wall | Structural load-unbearing stone adhesive | JC/T 989 | Product sampling test + initial factory inspection + follow up inspection |
| | | Technical requirement for environmental Labelling products--Adhesives | HJ/T 220 | |
| | | Epoxy adhesives for dry-fixing stone curtain wall | JC 887 | |
| 14. | Ceramic cartridge faucets | Ceramic cartridge faucets | GB 18145 | |
| | | Universal technical terms for faucets | QB/T 1334 | |
| | | Domestic water saving devices | CJ/T 164 | |
| | | Non-contact water supply device | CJ/T 194 | |
| 15. | Building board materials | Light weight panels for partition walls in buildings | JG/T 169 | Product sampling test + initial factory inspection + follow up inspection |
| | | Concrete hollow panels contained industrial fly ash and waste slags for partition wall in buildings | JG/T 350 | |
| | | Fiber reinforced calcium silicate sheet | JC/T 564.1~2 | |
| | | Mineral wool decorating and acoustic ceilings | GB/T 25998 | |
| | | Glassfiber reinforced cement lightweight hollow panel for partition | GB/T 19631 | |
| | | Glassfibre reinforced cement finished products | JC/T 940 | |
| | | Perforated gypsum boards for acoustic use | JC/T 803 | |
| | | Decorating gypsum board for lay-in installing | JC/T 800 | |
| | | Decorating gypsum board | JC/T 799 | |
| | | Gypsum panels with cavities | JC/T 829 | |
| | | Gypsum plasterboard | GB/T 9775 | |
| | | Glass fibre & magnesium cement board | JC 688 | |
| | | Hollow light partition of aerated concrete with silica and magnesium | JC/T 680 | |
| 16. | thermal insulation materials for building | Moulded polystyrene foam board for thermal insulation | GB/T 10801.1 | Product sampling test + initial factory inspection + follow up inspection |
| | | Rigid extruded polystyrene foam board for thermal insulation (XPS) | GB/T 10801.2 | |
| | | Preformed flexible elastomeric cellular thermal insulation | GB/T 17794 | |
| | | Rigid polyurethane cellular plastics used in the thermal insulation of building | GB/T 21588 | |
| | | expanded perlite | JC/T 209 | |
| | | Expanded perlite thermal insulation | GB/T 10303 | |
| | | Rock wool,slag wool and their products for thermal insulation | GB/T 11835 | |
| | | Glass wool and their products for thermal insulation | GB/T 13350 | |
| 17. | Waterproof roll and water-sealing strips for building | Styrene butadiene styrene (SBS) modified bituminous sheet materials | GB 18242 | Product sampling test + initial factory inspection + follow up inspection |
| | | Atactic polypropylene(APP) modified bituminous sheet materials | GB 18243 | |

This schedule without expiry date should be used with the accreditation certificate bearing the same registration number. The validity of the schedule can be checked on CNAS website at www.cnas.org.cn. Change number: 2023-02 Page 3 of 5

| | | | | |
|-----|---|--|----------------|---|
| | | Polyvinyl water-proof materials-Part 1:Water-proof sheet | GB 18173.1 | |
| | | Polyvinyl water-proof materials-Part 2:Waterstop | GB 18173.2 | |
| | | Polyvinyl water-proof materials-Part 3:Hydrophilic expansion rubber | GB 18173.3 | |
| | | Polyvinyl chloride plastic sheets for waterproofing | GB 12952 | |
| | | Water-smellable waterstops band made from bentonite and rubber | JG/T 141 | |
| | | Self-adhering polymer modified bituminous waterproof sheet | GB 23441 | |
| | | Thermoplastic polyolefin sheets for waterproofing | GB 27789 | |
| | | Pre-applied waterproofing sheets | GB/T 23457 | |
| | | Wet installed waterproofing sheets | GB/T 35467 | |
| 18. | Doors, windows and curtain wall for building | Technical code for glass curtain wall engineering | JGJ 102 | Product sampling test + initial factory inspection + follow up inspection |
| | | Wood doors | WB/T 1024 | |
| 19. | Wood-based panels | Solid wood flooring | GB/T 15036.1~2 | Product sampling test + initial factory inspection + follow up inspection |
| | | Laminate floor covering | GB/T 18102 | |
| | | Parquet | GB/T 18103 | |
| | | Indoor decorating and refurbishing materials-Limit of formaldehyde emission of woodbased panels and finishing products | GB 18580 | |
| 20. | Polymer mortar for external thermal insulation | Expanded polystyrene boards adhesive for substrates thermal insulation | JC/T 992 | Product sampling test + initial factory inspection + follow up inspection |
| | | Adhesives for ceramic tiles | JC/T 547 | |
| | | Grouts for ceramic tiles | JC/T 1004 | |
| | | Dry-mixed thermal insulating composition for buildings | GB/T 20473 | |
| | | Expanded polystyrene boards base cost for external thermal insulation | JC/T 993 | |
| 21. | Bricks and tiles | Concrete tiles | JC/T 746 | Product sampling test + initial factory inspection + follow up inspection |
| | | Precast concrete paving units | GB/T 28635 | |
| | | Fired perforated bricks | GB 13544 | |
| | | Fired hollow bricks and blocks | GB 13545 | |
| | | Fired roofing tiles | GB/T 21149 | |
| 22. | Metal and metal composite materials for building decoration | Metal ceiling | QB/T 1561 | Product sampling test + initial factory inspection + follow up inspection |
| | | Wrought aluminum alloy extruded profiles for architecture-Part1: untreated profiles | GB/T 5237.1 | |
| | | Wrought aluminum alloy extruded profiles for architecture-Part 2:Anodized profiles | GB/T 5237.2 | |
| | | Wrought aluminum alloy extruded profiles for architecture -Part3:Electrophoretic coating profiles | GB/T 5237.3 | |
| | | Wrought aluminium alloy extruded profiles for architecture—Part 4:Powder coating profiles | GB/T 5237.4 | |
| | | Wrought aluminum alloy extruded profiles for architecture-Part5: PVDF coating profiles | GB/T 5237.5 | |
| | | Aluminium-plastic composite panel for curtain wall | GB/T 17748 | |
| | | Aluminium-plastic composite panel for ordinary decoration | GB/T 22412 | |

This schedule without expiry date should be used with the accreditation certificate bearing the same registration number. The validity of the schedule can be checked on CNAS website at www.cnas.org.cn. Change number: 2023-02 Page 4 of 5

| | | | | | | | |
|-----|--|--|----------------|---|--|----------|---|
| | | Coloured paint coat steel plates and strips | GB/T 12754 | | | | |
| | | aluminium curtain wall plates | YS/T 429.1~2 | | | | |
| 23. | Building materials | Limit of radionuclides in building materials | GB 6566 | Product sampling test + initial factory inspection + follow up inspection | | | |
| 24. | Indoor decorating and refurbishing materials | Limit of harmful substances of architectural wall coatings | GB 18582 | Product sampling test + initial factory inspection + follow up inspection | | | |
| | | Indoor decorating and refurbishing materials-Limit of harmful substances of adhesives | GB 18583 | | | | |
| | | Indoor decorating and refurbishing materials-Limit of harmful substances of wood based furniture | GB 18584 | | | | |
| | | Indoor decorating and refurbishing materials--Limit of harmful substances of wallpapers | GB 18585 | | | | |
| | | Indoor decorating and refurbishing materials-Limit of harmful substances of polyvinyl chloride floor coverings | GB 18586 | | | | |
| | | Indoor decorating and refurbishing materials-Limitations of harmful substances emitted from carpets, carpet cushions and adhesives | GB 18587 | | | | |
| | | Limit of ammonia emitted from the concrete admixtures | GB 18588 | | | | |
| | | Code for indoor environmental pollution control of civil building engineering | GB 50325 | | | | |
| | | 25. | Natural stone | | Limit of radionuclides in building materials | GB 6566 | Product sampling test + initial factory inspection + follow up inspection |
| | | 26. | Building plate | | Technical requirement for environmental Labelling products | HJ/T 223 | Product sampling test + initial factory inspection + follow up inspection |
| 27. | Safe glass | Safety glazing materials for road vehicles | GB 9656 | CNCA-C13-01 : 2014 《Implementation rule for compulsory certification safe glass products》 | | | |
| | | Safety glazing materials in building--Part 2: Tempered glass | GB 15763.2 | | | | |
| | | Safety glazing materials in building--Part 3: Laminated glass | GB 15763.3 | | | | |
| | | Sealed insulating glass unit | GB/T 11944 | | | | |
| | | Safety glass for railway rolling stock | GB 18045 | | | | |
| | | Electrically heated glazing materials for locomotives and ships-Part 2: Electrically heated glazing materials for locomotives | GB 14681.2 | | | | |
| 28. | Ceramic tiles | Ceramic tiles | GB/T 4100 | CNCA-C21-01 : 2014 《Implementation rule for compulsory certification decorative products and fitment products》 | | | |
| | | Limit of radionuclides in building materials | GB 6566 | | | | |
| 29. | Indoor decorating and refurbishing materials | Limit of ammonia emitted from the concrete admixtures | GB 18588 | Product sampling test + initial factory inspection + follow-up inspection Certification Model: | | | |
| 30. | Finished wooden furniture product | Indoor air quality STANDARD | GB/T 18883 | Product sampling test + initial factory inspection + follow-up inspection Certification Model: | | | |
| 31. | Brake linings for automobiles | Brake linings for automobiles | GB 5763 | Type testing + Initial Factory Inspection + Follow-up inspections CNCA-C11-20: 2020 《Implementation Rule for Compulsory Certification of Brake linings for automobiles》 | | | |

* * * * *

张朝华

Secretary-general of CNAS
2023-02-16

This schedule without expiry date should be used with the accreditation certificate bearing the same registration number. The validity of the schedule can be checked on CNAS website at www.cnas.org.cn.
Change number: 2023-02 Page 5 of 5